

MAN TGS 26.440 6X4 BB CH -GUDRONATOR 10.000 LITRI

SH01520725



Body type	Flat bed
1st reg.	05/2024
Power	324kW (441 HP)
Mileage	2125 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGS
Model variant	TGS TG3
Body type	Flat bed
Colours	white
Driver's cab	NN

TECHNICAL DATA

Power	324 kW (441 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	6x4
Suspension	Leaf spring suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	33,000 kg
Rear overhang	2050 mm
Wheel base	1400 mm
Fuel tank	AdBlue: 60 l Fuel tank: 300 l
Emission category	Euro6

Price	245,990 EUR (net) 297,648 EUR (gross)
Offer Date	20.08.2026

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Rear underrun
- Electr. and heated kerb mirror

Comfort

- Adjustable steering column
- Climatronic
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat

Audio & communication

- MAN Media Truck
- Soundsystem: MAN loudspeaker system

Light and sight

- Tinted glass
- Headlight range control
- LED daytime running lights

Others

Exterior

- Clevis trailer coupling
- Electr. and heated rear view mirrors
- Rear differential lock
- PTO
- Twin tyres
- Shunting coupler
- Antispray
- Working lights
- Lifting roof (manual)
- Telematics system

Interior

- Multifunctional steering wheel
- Digital tachograph
- Sun visor

Assistance systems

- Cruise control
- Electronic Brake System EBS
- Brake assist
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

- MAN EVBec high-performance engine brake,
stages possible

Comments

VEHICUL NOU / NEUTILIZAT

Raspanditor Emulsie HYDROG SR 10.000 PREMIUM (10.000 litri):

- Rampa raspandire emulsie cu latime de lucru 4,8 metri
- Lance manuala
- Motor termic
- Sistem de incalzire cu functionare automata
- Sistem automat de curatare al rampei de emulsie cu aer comprimat la finalizarea raspandirii
- Computer pentru reglarea automata a cantitatii aplicate, cu raport si imprimanta
- Perie frontala HYDROG OCN-600/2400
- Latime 2.400 mm