MAN

MAN TGX 18.440 4X2 BLS

SHV0011125



Body type Tractor unit

1st reg. 08/2012

Power 324kW (441 HP)

Mileage 1560496 km

Storage location Sibiu - MHS Truck Service

BASIC DATA

Brand MAN
Model serie TGX
Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white

Driver's cab XLX

Berths 2 berths



Price

12,500 EUR (net)

15,125 EUR (gross)

Offer Date 05.12.2025

TECHNICAL DATA

Power 324 kW (441 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg
Rear overhang 800 mm
Wheel base 3600 mm
Fuel tank AdBlue: 100 l

Fuel tank: 450 l Fuel tank: 760 l

Emission category EEV



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Audio & communication

Radio/CD: MAN BasicLine 24V

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- Spare wheel
- Cab Suspension
- Lifting roof (manual)

Wheels and tyres

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights
- Ambient lighting

Assistance systems

- Cruise control
- MAN BrakeMatic
- Hill Hold Control HHC
- Speed limiter

Equipment packages

Aero package



Spare wheel carrier

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.85, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, trailer socket 24V (7-7-pin), pick-up plate 40 mm