

SH05400824

MAN TGX 18.500 4X2 BLS



Price

Offer Date

15,990 EUR (net) **19,348 EUR** (gross) 03.09.2025

Body type
1st reg.
Power
Mileage
Storage location

Tractor unit 11/2017 368kW (500 HP) 709398 km Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	white
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	368 kW (500 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 I
	Fuel tank: 580 l
	Fuel tank: 580 l
Emission category	Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Air-suspended front seats
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Rain sensor
- Tinted glass
- Headlight range control
- Automatic headlights
- Cornering light
- LED daytime running lights
- Light sensor
- Ambient lighting

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Cab Suspension
- Working lights
- Lifting roof (manual)

Telematics system

Assistance systems

- Efficientcruise
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

Spare wheel carrier

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Equipment packages

- Aero package
- Efficientline 3 package
- Safety light & sight package

Others

front springs parabolic 7.5 t, rear air
suspension 13 t, hub reduction rear axle
Hypoid HY-1350, hypoid axle ratio i 2.53, fuel
filter heating, cab insulation NORDIC, wiring
for tank truck to ADR, ADR Typ AT,
equipment for dangerous goods to ADR, type
OX, supply kit for semitrailer with lifting axle or
moving-off aid, trailer socket 24V (15-pin),
pick-up plate 40 mm