

MAN TGX 18.510 4X2 BLS

SH02471025



Body type	Tractor unit
1st reg.	10/2019
Power	375kW (510 HP)
Mileage	547601 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	green
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	375 kW (510 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 80 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror: right, left
- Electr./heated wide angle mirror
- Flashing beacon

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Front armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended front seats
- Driver's lumbar support
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights

Assistance systems

- Distance cruise control

Wheels and tyres

- Light alloy rims: ALCOA matt
- Spare wheel carrier

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- CB radio
- Digital tachograph
- Carpet floor covering
- Cooling box

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Equipment packages

- Safety plus package

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO
- Fifth wheel
- 1x15 pin plug
- Spare wheel
- Cab Suspension
- Working lights
- Lifting roof (manual)
- Information and service system
- RIO Box

Others

- front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, cab insulation NORDIC, wiring for tank truck to ADR, equipment for hazardous goods to ADR, type FL (AT), fire apron for tanker, supply kit for semitrailer with lifting axle or moving-off aid, tanker vehicle socket 24V (15-pin)