

# MAN TGX 18.470 4X2 BL SA

SH01690725



MAN I TopUsed

Body type	Tractor unit
1st reg.	03/2021
Power	346kW (470 HP)
Mileage	403624 km
Storage location	Craiova

## BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG3
Body type	Tractor unit (Standard)
Colours	dark red
Driver's cab	GX

## TECHNICAL DATA

Power	346 kW (470 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

## WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 80 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

## EQUIPMENT

### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror
- Flashing beacon
- Trailer Brake Connection

### Exterior

- Trailer coupling
- Electr. and heated rear view mirrors
- Roof spoiler
- Roof hatch
- Rear differential lock
- Twin tyres
- Shunting coupler
- Fifth wheel
- 1x15 pin plug
- Antispray
- Working lights
- Axle load indicator
- Telematics system

### Comfort

- Adjustable steering column
- Climatronic
- Driver's armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended front seats
- Driver's lumbar support
- Cup holder
- Control panel MAN EasyControl

### Interior

- Multifunctional steering wheel
- Digital tachograph
- Sun visor
- Refrigerator

### Light and sight

- Fog lights
- Rain sensor
- Tinted glass
- Headlight range control
- Automatic headlights
- Cornering light

- LED daytime running lights
- Light sensor

#### Audio & communication

- MAN Media Truck Advanced
- MAN SmartSelect
- Soundsystem
- Smartphone app integration

#### Assistance systems

- Cruise control
- Electronic Brake System EBS
- Brake assist
- Lane Departure Warning System LDWS
- Hill Hold Control HHC
- High beam assist
- efficientroll
- Speed limiter

#### Equipment packages

- Aero package
- Efficientline package

#### Others

- MAN EVBec high-performance engine brake, stages possible, Socket 230 V, Double tank connection