

# MAN TGX 18.470 4X2 BLS

SH00050126



Body type	Tractor unit
1st reg.	10/2020
Power	346kW (470 HP)
Mileage	586795 km
Storage location	Otopeni - MHS Truck Service

## BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Driver's cab	XLX
Berths	1 berth

## TECHNICAL DATA

Power	346 kW (470 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

## WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 80 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

Price	<b>31,990 EUR</b> (net)
	<b>38,708 EUR</b> (gross)
Offer Date	05.02.2026

## EQUIPMENT

### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

### Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Carpet floor covering
- Cooling box

### Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

### Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock

### Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Stationary air conditioning
- Cup holder front
- Isolated driver's cab
- DC/AC converter

### Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light

### Assistance systems

- Automatic distance control ACC with stop and go
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

- PTO
- Fifth wheel
- MAN AttentionGuard
- Cab Suspension
- Working lights
- Lifting roof (manual)
- RIO Box

### **Wheels and tyres**

- Spare wheel carrier

### **Equipment packages**

- Aero package
- Safety basic package

### **Others**

- front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, cab insulation NORDIC, ADR Typ AT, trailer socket 24V (7-7-pin), pick-up plate 40 mm, ADR inspection and certificate