

MAN TGX 18.470 4X2 BLS

SH00070126



Body type	Tractor unit
1st reg.	08/2020
Power	346kW (470 HP)
Mileage	510366 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	white
Driver's cab	XLX
Berths	1 berth

TECHNICAL DATA

Power	346 kW (470 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3900 mm
Fuel tank	AdBlue: 60 l Fuel tank: 250 l Fuel tank: 490 l
Emission category	Euro6

Price **31,990 EUR** (net)

38,708 EUR (gross)

Offer Date 05.02.2026

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Tyre Pressure Control System TPM
- Immobilizer
- Retarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering

Audio & communication

- Radio
- Mobile phone preparation Bluetooth

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light

Assistance systems

- Distance cruise control
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

- MAN AttentionGuard
- Cab Suspension
- Working lights
- Lifting roof (manual)
- Information and service system
- RIO Box

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Safety plus package

Others

- front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, cab insulation NORDIC, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (7-7-pin), Oddments box, pick-up plate 40 mm